

## AMENDMENTS

### IN THE CLAIMS

Please amend the following claim:

1. ~~(twice amended)~~ A component comprising:

a synthetic wood layer comprising:

cellulosic filler in an amount of about 20% to about 70% by weight; and

polyvinyl chloride material in an amount of about 20% to about 70% by weight, said polyvinyl chloride material comprising:

polyvinyl chloride resin;

stabilizer in an amount of about 1 to about 10 parts per 100 parts of said polyvinyl chloride resin;

lubricant in an amount of about 2 to about 12 parts per 100 parts of said polyvinyl chloride resin; and

process aid in an amount of about 0.5 to about 8 parts per 100 parts of said polyvinyl chloride resin; and

a foamed polymer layer secured to said synthetic wood layer, said foamed polymer layer consisting essentially of:

polyvinyl chloride resin;

stabilizer in an amount of about 1.5 to about 7 parts per 100 parts of said polyvinyl chloride resin;

lubricant in an amount of about 3 to about 10 parts per 100 parts of said polyvinyl chloride resin;

Do Not enter, #V  
04/3.1.3

process aid in an amount of about 6 to about 12 parts per 100 parts of  
said polyvinyl chloride resin; and  
blowing agent in an amount of about 0.3 to about 1 part per 100 parts of  
said polyvinyl chloride resin.

---

DL  
Conf